

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
11 April 2002 (11.04.2002)

PCT

(10) International Publication Number
WO 02/28744 A1

- (51) International Patent Classification⁷: **B65D 85/10**
- (21) International Application Number: PCT/IB01/01820
- (22) International Filing Date: 1 October 2001 (01.10.2001)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
BO2000A000575 3 October 2000 (03.10.2000) IT
- (71) Applicant (for all designated States except US): **G.D S.P.A.** [IT/TT]; Via Battindarno, 91, I-40133 Bologna (IT).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): **DRAGHETTI, Fiorenzo** [IT/TT]; Via San Donino, 506, I-40059 Medicina (IT). **STIVANI, Eros** [IT/TT]; Via Bonafede 22, I-40139 Bologna (IT).
- (74) Agents: **BIANCIARDI, Ezio et al.**; Bugnion S.p.A., Via Goito, 18, I-40126 Bologna (IT).


(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:
— with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: A PACK OF RIGID TYPE FOR TOBACCO PRODUCTS



Schachtel-Vorderwand +
Kragen haben Fenster / Öffnung
dahinter Coupon
mit Bedruckung.

S. 6, Z. 9-11
"angedeuteter
Kragen" gibt teilweise
Blick auf Coupon
frei.

(57) Abstract: A pack of rigid type for tobacco products, substantially of prismatic geometry and presenting a plurality of side faces (15, 16, 17; 34, 35, 36, 37), comprises a container (3; 29; 40), a lid (5; 30; 41), and a coupon (24) inserted inside the pack (1), disposed in contact with at least one of the side faces (15, 16, 17; 34, 35, 36, 37). At least one of the side faces (15, 16, 17; 34, 35, 36, 37) of the pack (1) presents a window (25) of the inserted coupon (24) bearing advertisements, messages and written matter addressed to the consumer. Where the pack (1) had a reinforcing frame (20) positioned internally of the container (3; 29), the window (25) is afforded by a face (7) of the container occupied by the frame (20) and the frame itself affords a respective window (26) substantially coinciding with the window (25) in the container.

BEST AVAILABLE COPY

WO 02/28744 A1

DescriptionA pack of rigid type for tobacco productsTechnical Field

The present invention relates to a pack of rigid type for tobacco products.

Background Art

In the following specification, the term "pack" can be taken to mean both a carton containing a plurality of packets of cigarettes, and a single packet containing a group of cigarettes or tobacco products in general.

Rigid packs of the type in question are fashioned generally from respective flat precreased diecut blanks, the single pack comprising a container and a lid which, in the case of the packet in particular, is attached hingedly to a rear edge of the container in such a way as to enclose an open end of the selfsame container, also a reinforcing frame disposed partly inside the container and secured thus internally to a front face and to two flank faces of the selfsame container.

It is increasingly the practice to print advertisements, messages and other written matter on the outer surface of these packs, addressed to the consumer, which must be placed clearly in view, expressed in the language of the various countries where the product is sold and, moreover, customized

on a case by case basis to ensure conformity with national statutory requirements in different countries.

5 In certain countries it is also normal for the price of the product to be printed on the outer surface of the pack and, especially in those countries where changes in price are frequent due to significant inflationary factors, the written matter printed on the pack must often be changed and adapted
10 in response to market conditions.

All this dictates that the diecut blanks used to fashion the packs must be differentiated from country to country, and even for each individual country, with resulting high inventory and production costs.

15 It is also the practice to manufacture packs of the type in question furnished internally with inserts, namely cards, coupons and the like, bearing written and pictorial images addressed to the consumer.

The object of the present invention is to avoid the
20 use of different blanks, adopting a single standard blank for all countries and utilizing the inserts as the background on which to print the advertisements, messages and other written matter addressed to the consumer.

Disclosure of the Invention

25 The stated object is realized according to the present invention in a pack of rigid type for tobacco products, substantially of prismatic geometry, presenting a plurality of side faces and comprising a

container, a lid, and a coupon inserted inside the pack, disposed in contact with at least one of the side faces, characterized in that at least one of the side faces presents a window serving to expose a predetermined area of the inserted coupon bearing advertisements, messages and written matter addressed to the consumer.

The invention will now be described in detail, by way of example, with the aid of the accompanying drawings, in which:

-figures 1, 2 and 3 illustrate three packets of cigarettes embodied in accordance with the present invention, viewed schematically and in perspective;
-figures 4 and 5 illustrate two cartons for packets of cigarettes exemplifying a first embodiment of a relative pack according to the present invention, viewed schematically and in perspective;
-figure 6 illustrates a carton for packets of cigarettes exemplifying a second embodiment of a relative pack according to the present invention, viewed schematically and in perspective.

With reference to figures 1, 2 and 3 of the drawings, 1 denotes a pack for tobacco products, in its entirety, which in this particular instance consists in a rigid packet 2 such as will contain a group of cigarettes (not illustrated), comprising a container 3 of cupped embodiment affording an open top end 4, surmounted by a lid 5 likewise of cupped embodiment hinged to the container 3 along a relative hinge line 6 and rotatable thus between a open

position (not illustrated), and a position in which the top end 4 is closed.

The container 3 presents a front face 7, a rear face 8, two flank faces 9 and a bottom end face 10; in like manner the lid 5 presents a front face 11, a rear face 12, two flank faces 13 and a top end face 14.

The aforementioned front, rear and flank faces of the container 3 and the lid 5 together constitute respective side faces of the assembled pack 1, of which the front face is denoted 15, the rear face denoted 16 and the flank faces denoted 17, these in turn combining with the bottom end face 10 of the container 3 and the top end face 14 of the lid 5 to define an outer wrapper 18 of the packet 2.

Each packet 2 accommodates an inner wrapper 19 enveloping the aforementioned group of cigarettes, and is furnished with a reinforcing frame 20 interposed between the outer wrapper 18 and the inner wrapper 19 and secured thus to the container 3. The frame 20 comprises a portion 20a located internally of the container 3 and a portion 20b projecting externally of the container from the open top end 4.

More particularly, the frame 20 includes a breast piece 21 located partly in contact with the inside of the front face 7 of the container 3, and two side pieces 22 secured in part to the insides of the flank faces 9 of the container 3.

The breast piece 21 of the frame 20 is delimited uppermost by an edge 23 of "U" outline disposed with

the concave profile directed toward the lid 5.

Lastly, each packet 2 is furnished with a coupon 24 interposed between the frame 20 and the inner wrapper 19. In the examples of figures 1 and 2 the coupon 24 is positioned below the breast piece 21 of the frame and partly in contact with the inside of the front face 7 of the container 3, its top end extending beyond the top edge 23 of the frame 20.

Alternatively, as in the example of figure 3, the coupon 24 can be interposed between the frame 20 and the inside of the front face 7 of the container 3.

In the example of figure 1, the packet 2 presents a window 25 afforded by the front face 7 of the container 3, positioned to coincide with the breast piece 21 of the frame 20 which likewise affords a window 26 coinciding substantially with the window 25 in the front face 7. In this way, it becomes possible to expose an area 27 of the coupon 24 bearing written and pictorial matter addressed to the consumer, thereby obviating the need to print such matter directly on the outer wrapper 18 of the packet 2.

In the example of figure 2, the window 25 is positioned in an area of the front face 7 of the container 3 not occupied by the frame 20, which therefore does not present a relative window 26. Likewise in this instance the window 25 serves to expose an area 27 of the coupon 24 bearing written and pictorial matter addressed to the consumer.

In the example of figure 3, the window 25 is positioned in an area of the front face 7 of the

container 3 coinciding with the breast piece 21 of the frame 20, although the frame does not present a relative window 26 since the coupon 24 is positioned in front of the breast piece 21.

5 In a further embodiment not illustrated in the drawings, the window 25 might be positioned in an area of the front face 7 of the container 3 occupied only in part by the frame 20. Rather than the full window 26, in this instance, the frame 20 might
10 present a cutaway portion of dimensions sufficient to expose the aforementioned area 27 of the coupon 24.

In the examples of figures 4 and 5, the packs 1 consist in rigid cartons 28 serving to contain a plurality of packets 2 of cigarettes. The geometry of
15 the cartons 28 is similar in all respects to that of the packets 2 illustrated in figures 1, 2 and 3, and accordingly, the component parts are denoted where possible by the same reference numbers as used to denote the corresponding parts of the packets 2.

20 The single carton 28 comprises a container 29 surmounted by a lid 30, hinged to the container along a relative hinge line 6 and rotatable thus between an open position (not illustrated) and a position in which the open top end 4 of the container 29 is
25 closed, also a reinforcing frame 20 secured to the container 29, comprising a portion 20a located internally of the container 29 and a portion 20b projecting externally of the container 29 from the open top end 4.

30 Recalling the description already given with

reference to the packets 2 illustrated in figures 1, 2 and 3, the front, rear and flank faces of the container 29 and the lid 30 combine likewise in the case of the carton 28 to constitute respective side
5 faces of the assembled pack 1, of which the front face is denoted 15, the rear face denoted 16 and the flank faces denoted 17, these in turn combining with the bottom end face 10 of the container 29 and the top end face 14 of the lid 30 to define an outer
10 wrapper 18 of the carton 28.

Accordingly, in similar fashion to the packets 2, the carton 28 illustrated in figure 4 presents a window 25 afforded by the front face 7 of the container 29, positioned to coincide with the breast
15 piece 21 of the frame 20 which likewise affords a window 26 coinciding substantially with the window 25 in the front face 7 in such a manner as to expose a predetermined area 27 of the coupon 24.

In the example of figure 5 the window 25 is
20 positioned in an area of the front face 7 of the container 29 not occupied by the frame 20, which therefore does not present a relative window 26. Likewise in this instance the window 25 serves to expose an area 27 of the coupon 24 bearing written
25 and pictorial matter addressed to the consumer.

In a further embodiment not illustrated in the drawings, the carton 28 could be assembled with the coupon 24 disposed as in the packet 2 illustrated in figure 3.

30 In the example of figure 6, the pack 1 consists in

a carton 31 presenting an outer wrapper 32 substantially of flattened parallelepiped geometry referable to a predominating longitudinal axis denoted 33.

5 The carton 31 presents two mutually parallel larger side faces 34 and 35, two mutually parallel smaller side faces 36 and 37 disposed perpendicular to the larger side faces 34 and 35, and two transverse end faces 38 and 39.

10 As discernible from figure 6, the smaller side faces 36 and 37, the end faces 38 and 39 and the larger side face denoted 35 combine to establish a container 40, whilst the remaining side face 34 functions as a lid 41.

15 In accordance with the present invention, the carton 31 is furnished with a coupon 24 interposed between the upwardly directed larger side face 34, which serves as the lid 41, and the packets 2 accommodated internally of the of the carton 31, and
20 affords a window 25 located in the selfsame larger side face 34 in such a manner as to expose an area 27 of the coupon 24 bearing written and pictorial matter addressed to the consumer.

25 In a further embodiment not illustrated in the drawings, the window 25 could be located in the front smaller side face 36. In this instance the coupon 24 would therefore be positioned in such a way that at least one portion coincides with the front face 36.

Claims

1) A pack of rigid type for tobacco products, substantially of prismatic geometry, presenting a plurality of side faces (15, 16, 17; 34, 35, 36, 37) and comprising a container (3; 29; 40), a lid (5; 30; 41), and a coupon (24) inserted inside the pack (1), disposed in contact with at least one of the side faces (15, 16, 17; 34, 35, 36, 37), characterized in that at least one of the side faces (15, 16, 17; 34, 35, 36, 37) presents a window (25) serving to expose a predetermined area (27) of the inserted coupon (24) bearing advertisements, messages and written matter addressed to the consumer.

2) A pack as in claim 1, serving to contain a plurality of packets (2) of cigarettes, comprising at least one outer wrapper (32) substantially of flattened parallelepiped geometry referable to a predominating longitudinal axis (33), presenting two mutually parallel larger side faces (34, 35), two mutually parallel smaller side faces (36, 37) disposed perpendicular to the larger faces (34, 35), and two transverse end faces (38, 39), wherein the window (25) is formed in at least one of the side faces (34, 35, 36, 37).

3) A pack as in claim 1, serving to contain a plurality of packets (2) of cigarettes, presenting

a rigid outer wrapper (18) that comprises a container (29) of cupped embodiment surmounted by a lid (30) likewise of cupped embodiment hinged to the container (29) and rotatable thus between an open position and a closed position, also a reinforcing frame (20) disposed internally of and secured in part to the container (29), and a coupon (24) interposed between the rigid wrapper (18) and the packets (2), wherein the window (25) is formed in a face (7) of the container (29) occupied by the frame (20).

4) A pack as in claim 1, serving to contain a group of cigarettes enveloped by a respective inner wrapper (19), presenting a rigid outer wrapper (18) that comprises a container (3) of cupped embodiment surmounted by a lid (5) likewise of cupped embodiment hinged to the container (3) and rotatable thus between an open position and a closed position, also a reinforcing frame (20) disposed internally of and secured in part to the container (3), and a coupon (24) interposed between the container (3) and the inner wrapper (19), wherein the window (25) is formed in a face (7) of the container (3) occupied by the frame (20).


5) A pack as in claim 3 or claim 4, wherein the frame (20) presents a respective window (26) coinciding substantially with the window (25) formed in the face (7) of the container (29, 3).

6) A pack as in claim 3 or claim 4, wherein the window (25) is formed in an area of the face (7) not occupied by the frame (20).

5 7) A pack as in claim 3 or claim 4, wherein the window (25) is located in an area of the face (7) partially occupied by the frame (20).


1/6

FIG. 1




2/6

FIG.2




3/6

FIG.3




4/6

FIG. 4




5/6

FIG. 5



6/6

FIG. 6



Final Application No

PCT/IB 01/01820

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 B65D85/10

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 B65D

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	EP 0 837 012 A (FOCKE & CO) 22 April 1998 (1998-04-22) column 3, line 17 - line 58; figure 1 ---	1-4,6,7
Y	DE 86 18 368 U (CD KARTONDRUCK) 21 August 1986 (1986-08-21) page 2, paragraph 2 -page 3, paragraph 1 page 5, last paragraph -page 6, paragraph 1; figures 1,2 ---	1-4,6,7
Y	EP 0 609 753 A (GD SPA) 10 August 1994 (1994-08-10) figures 1,2 ---	2
Y	EP 0 671 342 A (GD SPA) 13 September 1995 (1995-09-13) figures 1,2 ---	3

	-/--	

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents :

- *"A" document defining the general state of the art which is not considered to be of particular relevance
- *"E" earlier document but published on or after the international filing date
- *"I" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *"O" document referring to an oral disclosure, use, exhibition or other means
- *"P" document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- *Z* document member of the same patent family

Date of the actual completion of the international search

13 December 2001

Date of mailing of the international search report

20/12/2001

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Bridault, A

INTERNATIONAL SEARCH REPORT

International Application No

PCT/IB 01/01820

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 5 826 785 A (BELVEDERI BRUNO ET AL) 27 October 1998 (1998-10-27) claims 1,2; figures 1,2 ---	1,4
A	DE 198 21 254 A (FÖCKE & CO) 18 November 1999 (1999-11-18) claim 1; figures 1,2 ---	1,2
A	US 5 137 148 A (EVERS DONALD H) 11 August 1992 (1992-08-11) claim 1; figures 4-7 ---	1,5
A	DE 93 15 457 U (BROEHL THOMAS) 3 February 1994 (1994-02-03) the whole document -----	1

INTERNATIONAL SEARCH REPORT

Information on patent family members

In International Application No

PCT/IB 01/01820

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 0837012	A	22-04-1998	DE 19643411 A1	23-04-1998
			BR 9705107 A	01-12-1998
			CN 1181341 A	13-05-1998
			EP 0837012 A1	22-04-1998
			JP 10230983 A	02-09-1998
			RU 2129083 C1	20-04-1999
			US 6138823 A	31-10-2000
DE 8618368	U	21-08-1986	DE 8618368 U1	21-08-1986
EP 0609753	A	10-08-1994	IT 1266239 B1	27-12-1996
			BR 9400378 A	23-08-1994
			DE 69404487 D1	04-09-1997
			DE 69404487 T2	12-02-1998
			EP 0609753 A2	10-08-1994
			JP 6263141 A	20-09-1994
			US 5358105 A	25-10-1994
EP 0671342	A	13-09-1995	IT B0940096 A1	11-09-1995
			BR 9501027 A	24-10-1995
			CN 1111589 A	15-11-1995
			EP 0671342 A1	13-09-1995
			JP 7285542 A	31-10-1995
US 5826785	A	27-10-1998	IT B0970341 A1	07-12-1998
			CN 1202447 A ,B	23-12-1998
			EP 0882658 A1	09-12-1998
DE 19821254	A	18-11-1999	DE 19821254 A1	18-11-1999
			AU 4035799 A	29-11-1999
			BR 9910325 A	30-01-2001
			WO 9958406 A1	18-11-1999
			EP 1077879 A1	28-02-2001
US 5137148	A	11-08-1992	AU 646282 B2	17-02-1994
			AU 8273491 A	06-05-1993
			EP 0476882 A1	25-03-1992
			JP 4253634 A	09-09-1992
DE 9315457	U	03-02-1994	DE 9315457 U1	03-02-1994